



Department of
Agriculture and Food



Importing and keeping introduced mammals, birds, reptiles and amphibians in Western Australia

Technical bulletin 4848

Supporting your success



Department of
Agriculture and Food



Importing and keeping introduced mammals, birds, reptiles and amphibians in Western Australia

Prepared by Invasive Species Science

Technical bulletin 4848

Copyright © Western Australian Agriculture Authority, 2013

June 2013

ISSN 1039–7205

Cover: Nyasa Lovebird (*Agapornis lilianae*) (Photo: DAFWA)

Recommended reference

Kirkpatrick, W. E. 2013, *Importing and keeping introduced mammals, birds, reptiles and amphibians in Western Australia*, Invasive Species Science Technical Bulletin, Department of Agriculture and Food, Perth.

Disclaimer

The Chief Executive Officer of the Department of Agriculture and Food and the State of Western Australia accept no liability whatsoever by reason of negligence or otherwise arising from the use or release of this information or any part of it.

Copies of this document are available in alternative formats upon request.

3 Baron-Hay Court, South Perth WA 6151

Tel: (08) 9368 3333

Email: enquiries@agric.wa.gov.au

Website: agric.wa.gov.au

Contents

| | | |
|-----------|--|-----------|
| 1 | Introduction | 4 |
| 1.1 | Introduced animals can cause problems | 4 |
| 1.2 | Western Australian organism list (WAOL) - Online database..... | 4 |
| 1.3 | Controlling introduced animals | 4 |
| 1.4 | General conditions for import and keeping | 5 |
| 2 | Obtaining a permit for a species already allowed in WA | 5 |
| 2.1 | Applications for animals..... | 5 |
| 2.2 | Applications for birds | 6 |
| 2.3 | Disposal of unwanted animals and birds | 6 |
| 3 | Obtaining a permit for a species currently prohibited in WA | 6 |
| 4 | Keeping categories | 6 |
| 4.1 | Prohibited keeping K1, K2, K3..... | 7 |
| 4.2 | Restricted keeping K4 | 7 |
| 4.3 | Exempt keeping K5 | 7 |
| 4.4 | Prohibited species | 7 |
| 4.5 | Native species..... | 7 |
| 5 | Permit requirements for restricted keeping K4 | 7 |
| 5.1 | Fees for birds | 7 |
| 5.2 | Cage requirements..... | 8 |
| 5.3 | Mesh requirements..... | 8 |
| 5.4 | Other requirements | 8 |
| 6 | Tables: Animals listed alphabetically by scientific name | 9 |
| 6.1 | Restricted keeping category K4 - keeping under permit..... | 9 |
| 6.2 | Exempt keeping category K5 - no permit required..... | 12 |
| 7 | Tables: Animals listed alphabetically by common name | 17 |
| 7.1 | Restricted keeping category K4 - keeping under permit..... | 17 |
| 7.2 | Exempt keeping category K5 - no permit required..... | 20 |
| 8 | Contact information | 1 |
| 9 | Forms | 2 |
| 9.1 | Application to keep restricted birds..... | 2 |
| 9.2 | Application for import permit..... | 3 |
| 10 | References | 4 |

1 Introduction

1.1 Introduced animals can cause problems

Many animals and birds cause severe damage to agriculture and the environment. They can;

- carry diseases or parasites
- damage agricultural crops
- displace native animals and plants
- damage property
- cause land degradation
- have a negative impact on pets.

These primarily introduced species (species that have originated in another country) have been declared by the Minister for Agriculture and Food as either prohibited organisms or permitted organisms under the *Biosecurity and Agriculture Management Act 2007* (BAMA).

1.2 Western Australian organism list (WAOL) - Online database

WAOL is an online database containing the names of declared plant, animal, pathogen and other organisms with their quarantine and declaration status conditions. Querying the WAOL requires you to enter the organism's species name (under the scientific name) to find an individual record. You can also search for related species or family groups if you are unsure of the correct species name. For further information please refer to the Biosecurity Website at biosecurity.wa.gov.au/.

1.3 Controlling introduced animals

It can take a long time for escaped birds and animals to reach pest proportions but once established in the wild, introduced animals are usually impossible to eradicate.

Sometimes the possible effects of an animal in a cage are not obvious to us, but the costs to future generations resulting from importing or keeping a prohibited animal, or not keeping a permitted animal in a responsible way can be enormous.

Be responsible and legal – obtain a permit before getting the animal and then abide by the keeping conditions.

Those people keeping birds and other animals without the appropriate permits, not keeping animals according to the keeping conditions or who are keeping animals that are prohibited in WA can be prosecuted and may forfeit their animals.

This bulletin lists those animals which can be kept under a permit in aviculture and as pets or companion animals, or are stock animals. Species that are exempt don't require a permit to keep and are listed in the tables in keeping category K5.

Any species that does not appear on the lists can be searched for on the WAOL for the declaration status and keeping category under BAMA.

1.4 General conditions for import and keeping

Permits to keep introduced birds and animals are endorsed with the requirements and conditions that apply to the species concerned.

Some of the general conditions that apply to the import and keeping of animals are listed below.

- Australian Quarantine Inspection Service and Environment Australia conditions apply to the importation of animals and birds from overseas.
- A permit is not transferable and relates only to the person to whom it is issued.
- A person can only dispose of animals kept under a permit to other permit holders.
- Regular returns must be provided, listing the number and the type of species held under permit, and to whom they have been transferred.
- Escaped permit animals must be immediately reported to the Department of Agriculture and Food (DAFWA) and/or Department of Parks and Wildlife (DPaW) (see Contact information).
- Animals held in captivity under permit should not be liberated nor attempts made to liberate them. There is also a legal obligation on the permit holder to prevent the animals being at large.
- Permits can be revoked if the animals are not being held as specified.
- It is the responsibility of the holder of an individual animal to ensure that they are also compliant with Commonwealth legislation relating to the possession and quarantine of exotic animals.

2 Obtaining a permit for a species already allowed in WA

Applications or enquiries concerning the import or keeping of introduced animals may be addressed to either DAFWA or DPaW (see Contact information).

Either agency will provide information on whether the species can be kept in the state, any conditions on introduction and keeping, and the procedures to follow to obtain permits.

Where the BAMA regulations provide for an introduced species to be kept under permit, an application to import and to keep declared animals should be completed.

2.1 Applications for animals

Applicants should complete an application to import form; see Forms in this document, or online at biosecurity.wa.gov.au/sites/default/files/files/QWA_Application_Import_Permit_010513.pdf

Completed forms and any supporting documentation should be forwarded to DAFWA (see Contact information).

Upon receipt of an application, DAFWA Invasive Species staff will advise a local Biosecurity Officer of other requirements (e.g. site inspection, enclosure design, import protocol etc.). Permits will be issued once it is confirmed that the requirements have been met.

Sometimes enclosure plans must be submitted and the site inspected prior to the commencement of any building. In such a case a provisional permit-to-keep is issued; the official permit is issued after a final inspection of the site and buildings.

Permits are issued for defined periods, usually two to three years and an application for renewal of a permit is required before a permit can be renewed.

2.2 Applications for birds

Applicants seeking to import and keep birds regulated under BAMA should complete an application to keep restricted birds form; see Forms in this document, or online at biosecurity.wa.gov.au/importing

Completed forms and any supporting documentation should be forwarded to DPaW (see Contact information).

Upon receipt of an application for a declared bird, DPaW staff at the Kensington office will advise the local wildlife officer of other requirements (e.g. site inspection, enclosure design, import protocol etc.).

The officer will advise the Kensington office when the requirements have been met so that permits may be issued.

All permits for birds are issued from the DPaW Kensington office so that a central register of introduced birds can be maintained.

2.3 Disposal of unwanted animals and birds

If introduced animals are no longer wanted, please contact DAFWA or DPaW for advice on options for re-housing or proper disposal.

Anyone who liberates, abandons or fails to take reasonable precautions to prevent the escape of a declared animal commits an offence and is subject to fines under the *Biosecurity and Agriculture Management Act 2007*.

3 Obtaining a permit for a species currently prohibited in WA

Applications or enquiries concerning the import or keeping of introduced animals and birds currently prohibited in WA should be addressed to DAFWA.

Email: win.kirkpatrick@agric.wa.gov.au : brett.scourse@agric.wa.gov.au : info@agric.wa.gov.au

Before a new species can be imported into Western Australia, an assessment is made of the risk it poses to agriculture and the environment. The assessment considers the following.

- The risk of harm to people from captive animals.
- The ability of the animal to establish feral populations in the wild.
- The animal's pest potential to agriculture and the environment.

The interdepartmental Committee for the Introduction and Keeping of Animals (CIKA) will review all applications and risk assessments and make recommendations to the Director General of DAFWA.

Decisions on importation are made after consideration of both the short and long-term consequences of importation.

Many of the animals assessed are permitted to enter the state but they may need to be managed by the issue of permits and their keeping conditions.

Some animals are not permitted to enter because they pose too great a risk.

4 Keeping categories

The regulations adopted by the *Biosecurity and Agriculture Management Regulations 2013* specify prohibited and restricted keeping categories for the purposes of regulating declared terrestrial vertebrates (mammals, birds, reptiles and amphibians) in regard to the purposes for which they can

be kept and the entities that can keep them for that purpose.

A keeping permit is the administrative tool used to assign specific conditions to the keeping of an animal.

The tables in this bulletin are provided primarily to assist readers to determine the legal restrictions applicable to animals and birds declared in a keeping category under section 22(3) of BAMA. The tables do not include all native birds or animals, is not exhaustive and does not necessarily set out all of the restrictions applicable to a particular bird or animal under the act and other legislation. If you are in any doubt as to the legal restrictions applicable to an animal or bird, please contact DAFWA or DPaW.

4.1 Prohibited keeping K1, K2, K3

Permitted only for public display and education purposes, and/or genuine scientific research by entities approved by the State authority. Kept under permit. These species are not listed in this bulletin, see the WAOL.

4.2 Restricted keeping K4

Animals which, relative to other species, have a low risk of becoming a problem for the environment, primary industry or public safety. Can be kept under permit by private individuals.

4.3 Exempt keeping K5

No permit or conditions required under BAM regulations. This does not guarantee that an animal in the exempt keeping category is not regulated in some form under other legislation, such as the *Wildlife Conservation Act 1950* administered by DPaW.

4.4 Prohibited species

If an animal or bird does not appear in the tables and is **not** an indigenous animal, it is a prohibited organism and in a prohibited keeping category.

4.5 Native species

If an animal or bird does not appear in these tables and **is** an indigenous species, it is not regulated under the *Biosecurity and Agriculture Management Act 2007*, but it may be regulated under the *Wildlife Conservation Act 1950* or other legislation.

Please check with DPaW for all native vertebrates regarding permits.

5 Permit requirements for restricted keeping K4

5.1 Fees for birds

Permits are issued under the *Biosecurity and Agriculture Management Act 2007*.

Permits are for a 1-year period and either have no cost or a cost of \$30.

- \$30 - The bird can only be kept with a \$30 permit.
- Free - The bird can only be kept with a free permit issued.

For further information contact DPaW Licensing: wildlifelicensing@dec.wa.gov.au

5.2 Cage requirements

All aviaries or enclosures for restricted keeping birds must comply with the following:

- Have double doors to the exterior,
- Be securely fastened to a concrete base or otherwise pegged to the ground with netting and post uprights buried at least 30 cm into the ground,
- Have netting laid under breakable sheet coverings such as PVC or fiberglass,
- Have correct load bearing structural materials within the framework of the aviary.

Minimum sizes for various materials are:

- Timber 5 cm x 5 cm
- Angle iron 2.5 cm x 2.5 cm x 3.17 mm
- Steel rod 1.27 cm internal diameter

5.3 Mesh requirements

- a. Mesh size no larger than 1.27 cm, wire diameter 0.71 mm
- b. Mesh size no larger than 2.54 cm, wire diameter 1.3 mm
- c. Mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.)
- d. Mesh size no larger than 3.81 cm, wire diameter 2.5 mm; or alternative specifications approved by an authorized person.

5.4 Other requirements

1. In the absence of other permits, a Department of Parks and Wildlife import permit is required prior to entry into the state.
2. DAFWA requirements prior to entry of livestock and pigeons and doves. Whether they are kept as pets or for commercial purposes, all ruminants (cattle, sheep, goats, deer, bison, buffalo), equines (horses, ponies, mules, donkeys), camels, camelids (alpaca, llama) and pigs (including mini or miniature pigs) are considered livestock.
3. Waybill required when the animal is moved: Contact the Inspector in Charge (Stock), Department of Agriculture and Food, South Perth, Tel. 9368 3370. Information available agric.wa.gov.au/PC_91943.html?s=1676477762
4. Enclosure specifications apply for animals and birds and there are wire netting requirements for various groups of birds.
5. The species is a prohibited import under the *Wildlife Conservation Act 1950*.
6. Indicates the maximum number of a bird species which can be held by aviculturists.
7. Special requirements for aviculture, e.g. limited to genuine society breeders, provision of minimum flight aviaries and participation in official breeding programs.

6 Tables: Animals listed alphabetically by scientific name

6.1 Restricted keeping category K4 - keeping under permit

| Scientific Name | Common name(s) | License | Mesh req. | Other req. |
|-----------------------------------|---|---------|-----------|-------------|
| <i>Agapornis fischeri</i> | Fischer's Lovebird | free | b. | 1, 5 & 6 |
| <i>Agapornis hybrids</i> | Lovebird species hybrids | free | b. | 1, 5 & 6 |
| <i>Agapornis lilianae</i> | Nyasa Lovebird; Lilian's Lovebird | free | b. | 1, 5 & 6 |
| <i>Agapornis nigrigenis</i> | Black-cheeked Lovebird | free | b. | 1, 5 & 6 |
| <i>Agapornis personatus</i> | Masked Lovebird | free | b. | 1, 5 & 6 |
| <i>Agapornis roseicollis</i> | Peach-faced Lovebird | free | b. | 1, 5 & 6 |
| <i>Aix galericulata</i> | Mandarin Duck | \$30 | | 1, 5 & 7 |
| <i>Alectoris chukar</i> | Chukar Partridge | free | c. | 1, 5 |
| <i>Alopochen aegyptiacus</i> | Egyptian Goose | free | | 1, 5 & 7 |
| <i>Amadina erythrocephala</i> | Paradise Sparrow; Aberdeen Finch; Red-headed Amadina | free | a. | 1, 5 & 6 |
| <i>Amadina fasciata</i> | Cut-throat Weaver; Cut-throat Finch; Ribbon Finch | free | a. | 1, 5 & 6 |
| <i>Amandava amandava</i> | Red Munia; Red Strawberry Finch; Red or Indian Avadavat; Tiger Finch; Red Waxbill | free | a. | 1, 5 & 6 |
| <i>Amandava formosa</i> | Green Munia; Green Strawberry Finch; Green Avadavat | \$30 | a. | 1, 5 & 6 |
| <i>Anodorhynchus hyacinthinus</i> | Hyacinth Macaw | \$30 | | 1, 5, 7 |
| <i>Antilope cervicapra</i> | Blackbuck | charged | | 1, 2, 3 & 5 |
| <i>Ara ararauna</i> | Blue and Yellow / Gold Macaw; | \$30 | | 1, 5 & 7 |
| <i>Ara chloropterus</i> | Green-winged Macaw; Red and Green Macaw | \$30 | | 1, 5 & 7 |
| <i>Ara macao</i> | Scarlet Macaw | \$30 | | 1, 5 & 7 |
| <i>Ara rubrogenys</i> | Red-fronted Macaw | \$30 | | 1, 5 & 7 |
| <i>Aratinga aurea</i> | Peach-fronted Conure; Golden-crowned Conure | \$30 | b. | 1, 5 |
| <i>Aratinga auricapillus</i> | Golden-capped Conure | \$30 | b. | 1, 5 |
| <i>Aratinga jandaya</i> | Jandaya Conure | free | b. | 1, 5 |
| <i>Aratinga solstitialis</i> | Sun Conure | free | b. | 1, 5 |
| <i>Aythya novaeseelandiae</i> | New Zealand Scaup | free | | 1, 5 & 7 |
| <i>Bos javanicus</i> | Banteng Cattle | charged | | 2, 3 & 5 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | | | |
|---|--|---------|----|-------------|
| <i>Bubalus bubalis</i> | Water Buffalo | charged | | 2, 3 |
| <i>Cacatua galerita</i> | Sulphur-crested Cockatoo | free | d. | 1, 5 & 6 |
| <i>Camelus dromedarius (feral)</i> | Feral Camel | charged | | 2, 3, & 5 |
| <i>Capra hircus (feral)</i> | Feral Goat | charged | | 2, 3, & 5 |
| <i>Carduelis chloris</i> | Greenfinch; European Greenfinch | free | a. | 1, 5 |
| <i>Carduelis cucullata</i> | Red Siskin; Venezuelan Siskin; Black-hooded Red Siskin | \$30 | a. | 1, 5 & 6 |
| <i>Carduelis flammea</i> | Redpoll | \$30 | a. | 1, 5 & 6 |
| <i>Carduelis magellanica</i> | Hooded Siskin; Yellow Siskin; Black-hooded Yellow Siskin | free | a. | 1, 5 |
| <i>Carduelis sinica</i> | Oriental Greenfinch | free | a. | 1, 5 |
| <i>Carduelis spinus</i> | European Siskin; Spruce Siskin; | \$30 | a. | 1, 5 & 6 |
| <i>Cervus elaphus</i> | Red Deer; Wapiti; Elk | charged | | 2, 3, 4 & 5 |
| <i>Columbina talpacoti</i> | Ruddy Ground Dove; Talpacoti | free | b. | 1, 5 & 6 |
| <i>Coturnix japonica</i> | Japanese Quail | free | | 1, 5 |
| <i>Cyanoramphus auriceps</i> | Yellow-fronted Parakeet / Kakariki | free | b. | 1, 5 & 6 |
| <i>Cyanoramphus novaezelandiae</i> | Red-fronted Parakeet / Kakariki | free | b. | 1, 5 & 6 |
| <i>Dama dama</i> | Fallow Deer | charged | | 2, 3, 4 & 5 |
| <i>Emberiza citrinella</i> | Yellowhammer | \$30 | a. | 1, 5 |
| <i>Equus asinus (feral)</i> | Feral Donkey | charged | | 2, 5 |
| <i>Erythrura cyaneovirens</i> | Red-headed Parrotfinch | \$30 | a. | 1, 5 |
| <i>Erythrura hyperythra</i> | Bamboo Parrotfinch; Tawny-breasted Parrotfinch | \$30 | a. | 1, 5 |
| <i>Erythrura tricolor</i> | Tricoloured Parrotfinch; Tanimbar Parrotfinch | \$30 | a. | 1, 5 |
| <i>Estrilda astrild</i> | Common Waxbill; St Helena Waxbill | free | a. | 1, 5 & 6 |
| <i>Estrilda melpoda</i> | Orange-cheeked Waxbill | \$30 | a. | 1, 5 & 6 |
| <i>Estrilda troglodytes</i> | Black-rumped Waxbill; Red-eared Waxbill | \$30 | a. | 1, 5 & 6 |
| <i>Euplectes franciscanus</i> | Northern Red Bishop; Orange Bishop | free | a. | 1, 5 & 6 |
| <i>Euplectes orix</i> | Grenadier Weaver; Red Bishop; | free | a. | 1, 5 & 6 |
| <i>Euschistospiza dybowskii</i> | Dybowskii's Twinspot | \$30 | a. | 1, 5 & 6 |
| <i>Foudia madagascariensis</i> | Madagascar Red Fody; Madagascar Weaver | free | a. | 1, 5 & 6 |
| <i>Fringilla coelebs</i> | Chaffinch | \$30 | a. | 1, 5 |
| <i>Hypargos niveoguttatus</i> | Peters's Twinspot | \$30 | a. | 1, 5 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | | | |
|---|--|---------|----|----------|
| <i>Lonchura maja</i> | White-headed Munia | free | a. | 1, 5 & 6 |
| <i>Lonchura malabarica</i> | Indian Silverbill; White-throated Munia; Common Silverbill | free | a. | 1, 5 |
| <i>Lonchura malacca</i> | Black-headed Munia; Black-headed Nun | free | a. | 1, 5 |
| <i>Lonchura punctulata</i> | Nutmeg Mannikin; Spicefinch; Spotted Munia; Scaly-breasted Munia | free | a. | 1, 5 |
| <i>Lonchura striata</i> | White-rumped Munia; Bengalese Mannikin | free | a. | 1, 5 |
| <i>Lophura nycthemera</i> | Silver Pheasant | free | c. | 1, 5 |
| <i>Oena capensis</i> | Namaqua Dove; Cape Dove; Masked Dove | free | b. | 1, 5 & 6 |
| <i>Padda oryzivora</i> | Java Sparrow; Paddy Finch | free | a. | 1, 5 |
| <i>Phasianus colchicus</i> | Ring-necked Pheasant; Common Pheasant | free | c. | 1, 5 & 6 |
| <i>Pionites leucogaster</i> | White-bellied Caique / Parrot | \$30 | d. | 1, 5 |
| <i>Pionites melanocephala</i> | Black-headed Caique / Parrot | \$30 | d. | 1, 5 |
| <i>Poicephalus meyeri</i> | Meyer's Parrot; Brown Parrot | free | b. | 1, 5 & 6 |
| <i>Pseudeos fuscata</i> | Dusky Lory | \$30 | c. | 1, 5 & 6 |
| <i>Psittacula alexandri</i> | Moustached Parakeet | \$30 | c. | 1, 5 & 6 |
| <i>Psittacula columboides</i> | Malabar Parakeet | \$30 | c. | 1, 5 & 6 |
| <i>Psittacula cyanocephala</i> | Plum-headed Parakeet | \$30 | c. | 1, 5 & 6 |
| <i>Psittacula derbiana</i> | Derbyan Parakeet | \$30 | c. | 1, 5 & 6 |
| <i>Psittacula eupatria</i> | Alexandrine Parakeet | free | c. | 1, 5 & 6 |
| <i>Psittacula krameri</i> | Rose-ringed Parakeet; Indian or African Ringneck Parrot | free | c. | 1, 5 & 6 |
| <i>Pytilia hypogrammica</i> | Yellow-winged Pytilia | \$30 | | 1, 5 |
| <i>Rhea americana</i> | Greater Rhea | \$30 | | 1, 5 & 7 |
| <i>Serinus mozambicus</i> | Yellow-fronted Canary; Green Singing Finch | free | a. | 1, 5 |
| <i>Streptopelia decaocto</i> | Collared Dove; Collared Turtle-dove; Indian Ring Dove; Barbary Dove (fawn or white variations) | free | b. | 1, 5 |
| <i>Sus scrofa (feral)</i> | Feral Pig; Wild Boar | charged | | 2, & 5 |
| <i>Tadorna variegata</i> | Paradise Shelduck; New Zealand Shelduck | free | | 1, 5 & 7 |
| <i>Uraeginthus angolensis</i> | Blue-breasted Cordonbleu / Waxbill | free | a. | 1, 5 |
| <i>Uraeginthus bengalus</i> | Red-cheeked Cordonbleu | free | a. | 1, 5 |
| <i>Uraeginthus cyanocephalus</i> | Blue-capped / Blue-headed Cordonbleu | free | a. | 1, 5 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

6.2 Exempt keeping category K5 - no permit required

| Scientific Name | Common name(s) | Other req. |
|---|--|------------|
| <i>Ambystoma mexicanum</i> | Axolotl; Mexican Walking Fish | 1 |
| <i>Anas gracilis</i> | Grey Teal | 1 |
| <i>Anas platyrhynchos</i> | Mallard Duck; Mallard; and all <i>Anas</i> strains of domestic duck | 1 |
| <i>Anas querquedula</i> | Garganey | 1 |
| <i>Anas rhynchotis</i> | Australasian Shoveler | 1 |
| <i>Anas superciliosa</i> | Pacific Black Duck | 1 |
| <i>Anser anser (domestic)</i> | Domestic Goose; and all domestic strains derived from <i>Anser anser</i> | 1 |
| <i>Anser cygnoides</i> | Swan Goose; Chinese Goose | 1 |
| <i>Anseranas semipalmata</i> | Magpie Goose (Pied Goose) | 1 |
| <i>Aprosmictus erythropterus</i> | Red-winged Parrot | 1 |
| <i>Aviceda subcristata</i> | Pacific Baza | 1 |
| <i>Aythya australis</i> | Hardhead | 1 |
| <i>Barnardius zonarius</i> | Australian Ringneck; Port Lincoln Ringneck; Twenty-eight Parrot | 1 |
| <i>Bison bison X Bos taurus (37.5% and less American bison genetic material)</i> | Beefalo cattle breed and all animals of 37.5% and less American bison genetic material | 2, 3 |
| <i>Biziura lobata</i> | Musk Duck | 1 |
| <i>Bos taurus</i> | Cattle | 2, 3 |
| <i>Cacatua leadbeateri</i> | Major Mitchell's Cockatoo | 1 |
| <i>Cacatua pastinator butleri</i> | Butler's Corella; Western Corella (northern and central wheatbelt subspecies) | 1 |
| <i>Cacatua pastinator pastinator</i> | Muir's Corella; Western Corella (Lake Muir subspecies) | 1 |
| <i>Cacatua roseicapilla</i> | Galah | 1 |
| <i>Cacatua sanguinea gymnopsis</i> | Little Corella (eastern subspecies) | 1 |
| <i>Cacatua sanguinea sanguinea</i> | Little Corella (Kimberley subspecies) | 1 |
| <i>Cacatua sanguinea westralensis</i> | Little Corella (Pilbara-Murchison and northern wheatbelt subspecies) | 1 |
| <i>Cacatua tenuirostris</i> | Eastern Long-billed Corella | 1 |
| <i>Cairina moschata</i> | Muscovy Duck | |
| <i>Calyptorhynchus baudinii</i> | Baudin's Cockatoo; Long-billed Black Cockatoo | 1 |
| <i>Calyptorhynchus latirostris</i> | Carnaby's Cockatoo | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|---|-------------------------------------|------|
| <i>Camelus dromedarius (domestic)</i> | Domestic Camel | 2, 3 |
| <i>Canis lupus dingo</i> | Dingo | 1 |
| <i>Canis lupus dingo x Canis lupus familiaris</i> | Dingo-dog hybrids | 1 |
| <i>Canis lupus familiaris (domestic)</i> | Domestic Dog | |
| <i>Canis lupus familiaris (feral)</i> | Wild or Feral Dog | |
| <i>Capra hircus (domestic)</i> | Domestic Goat | 2, 3 |
| <i>Caprimulgus indicus</i> | Grey Nightjar | 1 |
| <i>Carduelis carduelis</i> | Goldfinch; European Goldfinch | 1 |
| <i>Cavia porcellus (domestic)</i> | Domestic Guinea Pig; Guinea Pig | |
| <i>Centropus bengalensis</i> | Lesser Coucal | 1 |
| <i>Centropus phasianinus</i> | Pheasant Coucal | 1 |
| <i>Cereopsis novaehollandiae</i> | Cape Barren Goose | 1 |
| <i>Chalcophaps indica</i> | Emerald Dove | 1 |
| <i>Cheramoeca leucosternus</i> | White-backed Swallow | 1 |
| <i>Chrysolophus amherstiae</i> | Lady Amherst's Pheasant | 1 |
| <i>Chrysolophus pictus</i> | Golden Pheasant | 1 |
| <i>Cisticola juncidis</i> | Zitting Cisticola | 1 |
| <i>Columba livia (domestic)</i> | Domestic Pigeon; Rock Dove | 1 |
| <i>Corvus bennetti</i> | Little Crow | 1 |
| <i>Corvus coronoides</i> | Australian Raven | 1 |
| <i>Corvus orru</i> | Torresian Crow | 1 |
| <i>Coturnix chinensis</i> | King Quail; Blue-breasted Quail | 1 |
| <i>Coturnix pectoralis</i> | Stubble Quail | 1 |
| <i>Coturnix ypsilophora</i> | Brown Quail | 1 |
| <i>Cygnus atratus</i> | Black Swan | 1 |
| <i>Cygnus olor</i> | Mute Swan; White Swan | 1 |
| <i>Dromaius novaehollandiae</i> | Emu | 1 |
| <i>Ducula bicolor</i> | Pied Imperial Pigeon | 1 |
| <i>Emblema pictum</i> | Painted Finch | 1 |
| <i>Equus asinus (domestic)</i> | Domestic Donkey | 2 |
| <i>Equus caballus (domestic)</i> | Domestic Horse | 2 |
| <i>Equus caballus (feral)</i> | Feral Horse | 2 |
| <i>Equus caballus X Equus asinus</i> | Mule; Hinny | 2 |
| <i>Erythrura psittacea</i> | Red-throated Parrotfinch; Red-faced | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|-------------------------------------|---|------|
| | Parrotfinch | |
| <i>Felis catus</i> | Cat | |
| <i>Gallicolumba jobiensis</i> | White-bibbed Ground-Dove; White-breasted Ground-Dove; Jobi Island Dove | 1 |
| <i>Gallicolumba luzonica</i> | Luzon Bleeding-Heart; Bleeding-Heart Pigeon | 1 |
| <i>Gallinago hardwickii</i> | Latham's Snipe | 1 |
| <i>Gallinago megala</i> | Swinhoe's Snipe | 1 |
| <i>Gallinago stenura</i> | Pin-tailed Snipe | 1 |
| <i>Gallus gallus</i> | Chicken; Domestic Fowl; all bantams; Red Jungle Fowl and all domestic derivatives of the wild form <i>Gallus gallus</i> | |
| <i>Geopelia cuneata</i> | Diamond Dove | 1 |
| <i>Geopelia humeralis</i> | Bar-shouldered Dove | 1 |
| <i>Geopelia striata</i> | Peaceful Dove | 1 |
| <i>Geophaps plumifera</i> | Spinifex Pigeon | 1 |
| <i>Geophaps smithii</i> | Partridge Pigeon | 1 |
| <i>Glossopsitta concinna</i> | Musk Lorikeet | 1 |
| <i>Glossopsitta porphyrocephala</i> | Purple-crowned Lorikeet | 1 |
| <i>Heteromunia pectoralis</i> | Pictorella Mannikin | 1 |
| <i>Hirundo ariel</i> | Fairy Martin | 1 |
| <i>Hirundo daurica</i> | Red-rumped Swallow | 1 |
| <i>Hirundo neoxena</i> | Welcome Swallow | 1 |
| <i>Hirundo nigricans</i> | Tree Martin | 1 |
| <i>Hirundo rustica</i> | Barn Swallow | 1 |
| <i>Hirundo tahitica</i> | Pacific Swallow | 1 |
| <i>Hydrophasianus chirurgus</i> | Pheasant-tailed Jacana | 1 |
| <i>Lagorchestes hirsutus</i> | Rufous Hare-wallaby | 1 |
| <i>Lama glama</i> | Llama | 2, 3 |
| <i>Lama pacos</i> | Alpaca | 2, 3 |
| <i>Lonchura castaneothorax</i> | Chestnut-breasted Mannikin | 1 |
| <i>Lonchura flaviprymna</i> | Yellow-rumped Mannikin | 1 |
| <i>Lonchura pallida</i> | Pale-headed Munia | 1 |
| <i>Lophophorus impejanus</i> | Himalayan Monal Pheasant; Impeyan Pheasant | 1 |
| <i>Lophura diardi</i> | Siamese Fireback Pheasant | 1 |
| <i>Lophura leucomelanos</i> | Kalij Pheasant | 1 |
| <i>Lophura swinhoii</i> | Swinhoe's Pheasant | 1 |
| <i>Macropus agilis</i> | Agile Wallaby | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|---|--|------|
| <i>Macropus antilopinus</i> | Antilopine Wallaroo | 1 |
| <i>Macropus eugenii</i> | Tammar | 1 |
| <i>Macropus fuliginosus</i> | Western Grey Kangaroo | 1 |
| <i>Macropus irma</i> | Western Brush Wallaby | 1 |
| <i>Macropus robustus erubescens</i> | Euro; Biggada | 1 |
| <i>Macropus rufus</i> | Red Kangaroo; Marlu | 1 |
| <i>Meleagris gallopavo</i> | Common Turkey; Includes all domestic derivatives of wild ancestor <i>M. gallopavo</i> | |
| <i>Microeca fascinans</i> | Jacky Winter | 1 |
| <i>Mus musculus</i> | House Mouse | |
| <i>Muscicapa dauurica</i> | Asian Brown Flycatcher | 1 |
| <i>Muscicapa sibirica</i> | Sooty Flycatcher; Dark-sided Flycatcher | 1 |
| <i>Mustela putorius furo</i> (domestic) | Domestic Ferret; Ferret | |
| <i>Neochmia phaeton</i> | Crimson Finch | 1 |
| <i>Neochmia ruficauda</i> | Star Finch | 1 |
| <i>Neochmia temporalis</i> | Red-browed Finch | 1 |
| <i>Neophema bourkii</i> | Bourke's Parrot | 1 |
| <i>Neophema elegans</i> | Elegant Parrot | 1 |
| <i>Neophema petrophila</i> | Rock Parrot | 1 |
| <i>Numida meleagris</i> | Guineafowl | |
| <i>Neophema splendida</i> | Scarlet-chested Parrot | 1 |
| <i>Oryctolagus cuniculus</i> (domestic) | Domestic Rabbit (domestic or commercial breeds only; not wild rabbit with wild-type brown colouring) | |
| <i>Ovis aries</i> | Sheep | 2, 3 |
| <i>Paroaria coronata</i> | Red-crested Cardinal | 1 |
| <i>Pavo cristatus</i> | Common Peafowl; Indian Peafowl | 1 |
| <i>Pavo muticus</i> | Green Peafowl | 1 |
| <i>Platycercus icterotis</i> | Western Rosella | 1 |
| <i>Platycercus varius</i> | Mulga Parrot | 1 |
| <i>Platycercus venustus</i> | Northern Rosella | 1 |
| <i>Plegadis falcinellus</i> | Glossy Ibis | 1 |
| <i>Pluvialis dominica</i> | American Golden Plover | 1 |
| <i>Pluvialis fulva</i> | Pacific Golden Plover | 1 |
| <i>Ptilinopus regina</i> | Rose-crowned Fruit-Dove | 1 |
| <i>Purpureicephalus spurius</i> | Red-capped Parrot; WA King Parrot | 1 |
| <i>Pyrrholaemus brunneus</i> | Redthroat | 1 |
| <i>Pytilia melba</i> | Green-winged Pytilia; Melba Finch | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|--------------------------------------|--------------------------------------|----------|
| <i>Pytilia phoenicoptera</i> | Crimson-winged Pytilia; Aurora Finch | 1 |
| <i>Rattus fuscipes</i> | Western Bush Rat | 1 |
| <i>Rattus norvegicus</i> | Brown Rat; Norway Rat | |
| <i>Rattus rattus</i> | Black Rat | |
| <i>Rattus tunneyi</i> | Pale Field-rat | 1 |
| <i>Rattus villosissimus</i> | Long-haired Rat | 1 |
| <i>Serinus canaria</i> | Common Canary | |
| <i>Streptopelia chinensis</i> | Spotted Turtle-dove | 4 |
| <i>Streptopelia senegalensis</i> | Laughing Turtle-dove | 4 |
| <i>Struthio camelus</i> | Ostrich | 1, 2 & 3 |
| <i>Sus scrofa</i> (domestic) | Domestic Pig | 2, 3 |
| <i>Syrnaticus reevesii</i> | Reeves's Pheasant | 1 |
| <i>Tadorna radjah</i> | Radjah Shelduck | 1 |
| <i>Tadorna tadornoides</i> | Australian Shelduck; Mountain Duck | 1 |
| <i>Taeniopygia bichenovii</i> | Double-barred Finch | 1 |
| <i>Taeniopygia guttata</i> | Zebra Finch | 1 |
| <i>Threskiornis molucca</i> | Australian White Ibis | 1 |
| <i>Threskiornis spinicollis</i> | Straw-necked Ibis | 1 |
| <i>Trichoglossus chlorolepidotus</i> | Scaly-breasted Lorikeet | 1 |
| <i>Trichoglossus haematodus</i> | Rainbow Lorikeet | 1 |
| <i>Trichoglossus versicolor</i> | Varied Lorikeet | 1 |
| <i>Turnix (castanota) castanota</i> | Chestnut-backed Button-quail | 1 |
| <i>Turnix maculosa</i> | Red-backed Button-quail | 1 |
| <i>Turnix pyrrhorthorax</i> | Red-chested Button-quail | 1 |
| <i>Turnix varia</i> | Painted Button-quail | 1 |
| <i>Turnix velox</i> | Little Button-quail | 1 |
| <i>Vulpes vulpes</i> | Red Fox | |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

7 Tables: Animals listed alphabetically by common name

7.1 Restricted keeping category K4 - keeping under permit

| Common name(s) | Scientific Name | License | Mesh req. | Other req. |
|--|----------------------------------|---------|-----------|-------------|
| Alexandrine Parakeet | <i>Psittacula eupatria</i> | free | c. | 1, 5 & 6 |
| Bamboo Parrotfinch; Tawny-breasted Parrotfinch | <i>Erythrura hyperythra</i> | \$30 | a. | 1, 5 |
| Banteng Cattle | <i>Bos javanicus</i> | charged | | 2, 3 & 5 |
| Blackbuck | <i>Antilope cervicapra</i> | charged | | 1, 2, 3 & 5 |
| Black-cheeked Lovebird | <i>Agapornis nigrigenis</i> | free | b. | 1, 5 & 6 |
| Black-headed Caique / Parrot | <i>Pionites melanocephala</i> | \$30 | d. | 1, 5 |
| Black-headed Munia; Black-headed Nun | <i>Lonchura malacca</i> | free | a. | 1, 5 |
| Black-rumped Waxbill; Red-eared Waxbill | <i>Estrilda troglodytes</i> | \$30 | a. | 1, 5 & 6 |
| Blue and Yellow Macaw; Blue and Gold Macaw | <i>Ara ararauna</i> | \$30 | | 1, 5 & 7 |
| Blue-breasted Cordonbleu; Blue-breasted Waxbill | <i>Uraeginthus angolensis</i> | free | a. | 1, 5 |
| Blue-capped Cordonbleu; Blue-headed Cordonbleu | <i>Uraeginthus cyanocephalus</i> | free | a. | 1, 5 |
| Chaffinch | <i>Fringilla coelebs</i> | \$30 | a. | 1, 5 |
| Chukar; Chukar Partridge; Chukor Partridge | <i>Alectoris chukar</i> | free | c. | 1, 5 |
| Collared Dove; Collared Turtle-dove; Indian Ring Dove; Barbary Dove (fawn or white variations) | <i>Streptopelia decaocto</i> | free | b. | 1, 5 |
| Common Waxbill; St Helena Waxbill | <i>Estrilda astrild</i> | free | a. | 1, 5 & 6 |
| Cut-throat Weaver; Cut-throat Finch; Ribbon Finch | <i>Amadina fasciata</i> | free | a. | 1, 5 & 6 |
| Derbyan Parakeet | <i>Psittacula derbiana</i> | \$30 | c. | 1, 5 & 6 |
| Dusky Lory | <i>Pseudeos fuscata</i> | \$30 | c. | 1, 5 & 6 |
| Dybowski's Twinspot | <i>Euschistospiza dybowskii</i> | \$30 | a. | 1, 5 & 6 |
| Egyptian Goose | <i>Alopochen aegyptiacus</i> | free | | 1, 5 & 7 |
| European Siskin; Spruce Siskin; Eurasian Siskin | <i>Carduelis spinus</i> | \$30 | a. | 1, 5 & 6 |
| Fallow Deer | <i>Dama dama</i> | charged | | 2, 3, & 5 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | | | |
|---|---------------------------------------|---------|----|-----------|
| Feral Camel | <i>Camelus dromedarius (feral)</i> | charged | | 2, 3, & 5 |
| Feral Donkey | <i>Equus asinus (feral)</i> | charged | | 2, 5 |
| Feral Goat | <i>Capra hircus (feral)</i> | charged | | 2, 3, & 5 |
| Feral Pig; Wild Boar | <i>Sus scrofa (feral)</i> | charged | | 2, & 5 |
| Fischer's Lovebird | <i>Agapornis fischeri</i> | free | b. | 1, 5 & 6 |
| Golden-capped Conure; Golden-capped Parakeet | <i>Aratinga auricapillus</i> | \$30 | b. | 1, 5 |
| Greater Rhea | <i>Rhea americana</i> | \$30 | | 1, 5 & 7 |
| Green Munia; Green Strawberry Finch; Green Avadavat | <i>Amandava formosa</i> | \$30 | a. | 1, 5 & 6 |
| Greenfinch; European Greenfinch | <i>Carduelis chloris</i> | free | a. | 1, 5 |
| Green-winged Macaw; Red and Green Macaw | <i>Ara chloropterus</i> | \$30 | | 1, 5 & 7 |
| Grenadier Weaver; Red Bishop; Southern Red Bishop | <i>Euplectes orix</i> | free | a. | 1, 5 & 6 |
| Hooded Siskin; Yellow Siskin; Black-hooded Yellow Siskin | <i>Carduelis magellanica</i> | free | a. | 1, 5 |
| Hyacinth Macaw | <i>Anodorhynchus hyacinthinus</i> | \$30 | | 1, 5, 7 |
| Indian Silverbill; White-throated Munia; Common Silverbill | <i>Lonchura malabarica</i> | free | a. | 1, 5 |
| Jandaya Conure / Parakeet | <i>Aratinga jandaya</i> | free | b. | 1, 5 |
| Japanese Quail | <i>Coturnix japonica</i> | free | | 1, 5 |
| Java Sparrow; Paddy Finch | <i>Padda oryzivora</i> | free | a. | 1, 5 |
| Lovebird species hybrids | <i>Agapornis hybrids</i> | free | b. | 1, 5 & 6 |
| Madagascar Red Fody; Madagascar Weaver | <i>Foudia madagascariensis</i> | free | a. | 1, 5 & 6 |
| Malabar Parakeet | <i>Psittacula columboides</i> | \$30 | c. | 1, 5 & 6 |
| Mandarin Duck | <i>Aix galericulata</i> | \$30 | | 1, 5 & 7 |
| Masked Lovebird | <i>Agapornis personatus</i> | free | b. | 1, 5 & 6 |
| Meyer's Parrot; Brown Parrot | <i>Poicephalus meyeri</i> | free | b. | 1, 5 & 6 |
| Moustached Parakeet | <i>Psittacula alexandri</i> | \$30 | c. | 1, 5 & 6 |
| Namaqua Dove; Cape Dove; Masked Dove | <i>Oena capensis</i> | free | b. | 1, 5 & 6 |
| New Zealand Scaup | <i>Aythya novaeseelandiae</i> | free | | 1, 5 & 7 |
| Northern Red Bishop; Orange Bishop | <i>Euplectes franciscanus</i> | free | a. | 1, 5 & 6 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | | | |
|--|------------------------------------|---------|----|-----------|
| Nutmeg Mannikin; Spicefinch; Spotted Munia; Scaly-breasted Munia | <i>Lonchura punctulata</i> | free | a. | 1, 5 |
| Nyasa Lovebird; Lilian's Lovebird | <i>Agapornis lilianae</i> | free | b. | 1, 5 & 6 |
| Orange-cheeked Waxbill | <i>Estrilda melpoda</i> | \$30 | a. | 1, 5 & 6 |
| Oriental Greenfinch | <i>Carduelis sinica</i> | free | a. | 1, 5 |
| Paradise Shelduck; New Zealand Shelduck | <i>Tadorna variegata</i> | free | | 1, 5 & 7 |
| Paradise Sparrow; Aberdeen Finch; Red-headed Amadina | <i>Amadina erythrocephala</i> | free | a. | 1, 5 & 6 |
| Peach-faced Lovebird | <i>Agapornis roseicollis</i> | free | b. | 1, 5 & 6 |
| Peach-fronted Conure / Parakeet; Golden-crowned Conure | <i>Aratinga aurea</i> | \$30 | b. | 1, 5 |
| Peters's Twinspot | <i>Hypargos niveoguttatus</i> | \$30 | a. | 1, 5 |
| Plum-headed Parakeet | <i>Psittacula cyanocephala</i> | \$30 | c. | 1, 5 & 6 |
| Red Deer; Wapiti; Elk | <i>Cervus elaphus</i> | charged | | 2, 3, & 5 |
| Red Munia; Red Strawberry Finch; Red or Indian Avadavat; Tiger Finch; Red Waxbill | <i>Amandava amandava</i> | free | a. | 1, 5 & 6 |
| Red Siskin; Venezuelan Siskin; Black-hooded Red Siskin | <i>Carduelis cucullata</i> | \$30 | a. | 1, 5 & 6 |
| Red-cheeked Cordonbleu | <i>Uraeginthus bengalus</i> | free | a. | 1, 5 |
| Red-fronted Macaw | <i>Ara rubrogenys</i> | \$30 | | 1, 5 & 7 |
| Red-fronted Parakeet / Kakariki | <i>Cyanoramphus novaezelandiae</i> | free | b. | 1, 5 & 6 |
| Red-headed Parrotfinch | <i>Erythrura cyaneovirens</i> | \$30 | a. | 1, 5 |
| Redpoll | <i>Carduelis flammea</i> | \$30 | a. | 1, 5 & 6 |
| Ring-necked Pheasant; Common Pheasant | <i>Phasianus colchicus</i> | free | c. | 1, 5 & 6 |
| Rose-ringed Parakeet; Indian or African Ringneck Parrot or Parakeet | <i>Psittacula krameri</i> | free | c. | 1, 5 & 6 |
| Ruddy Ground Dove; Talpacoti | <i>Columbina talpacoti</i> | free | b. | 1, 5 & 6 |
| Scarlet Macaw | <i>Ara macao</i> | \$30 | | 1, 5 & 7 |
| Silver Pheasant | <i>Lophura nycthemera</i> | free | c. | 1, 5 |
| Sulphur-crested Cockatoo* | <i>Cacatua galerita</i> | free | d. | 1, 5 & 6 |
| Sun Conure; Sun Parakeet | <i>Aratinga solstitialis</i> | free | b. | 1, 5 |
| Tricoloured Parrotfinch; Tanimbar Parrotfinch | <i>Erythrura tricolor</i> | \$30 | a. | 1, 5 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | | | |
|---|------------------------------|---------|----|----------|
| Water Buffalo | <i>Bubalus bubalis</i> | charged | | 2, 3 |
| White-bellied Caique / Parrot | <i>Pionites leucogaster</i> | \$30 | d. | 1, 5 |
| White-headed Munia | <i>Lonchura maja</i> | free | a. | 1, 5 & 6 |
| White-rumped Munia; Bengalese Mannikin | <i>Lonchura striata</i> | free | a. | 1, 5 |
| Yellow-fronted Canary; Green Singing Finch | <i>Serinus mozambicus</i> | free | a. | 1, 5 |
| Yellow-fronted Parakeet / Kakariki | <i>Cyanoramphus auriceps</i> | free | b. | 1, 5 & 6 |
| Yellowhammer | <i>Emberiza citronella</i> | \$30 | a. | 1, 5 |
| Yellow-winged Pytilia | <i>Pytilia hypogrammica</i> | \$30 | | 1, 5 |

7.2 Exempt keeping category K5 - no permit required

| Common name(s) | Scientific Name | Other req |
|---|---|-----------|
| Agile Wallaby | <i>Macropus agilis</i> | 1 |
| Alpaca | <i>Lama pacos</i> | 2, 3 |
| American Golden Plover | <i>Pluvialis dominica</i> | 1 |
| Antilopine Wallaroo | <i>Macropus antilopinus</i> | 1 |
| Asian Brown Flycatcher | <i>Muscicapa dauurica</i> | 1 |
| Australasian Shoveler | <i>Anas rhynchotis</i> | 1 |
| Australian Raven | <i>Corvus coronoides</i> | 1 |
| Australian Ringneck; Port Lincoln Ringneck; Twenty-eight Parrot | <i>Barnardius zonarius</i> | 1 |
| Australian Shelduck; Mountain Duck | <i>Tadorna tadornoides</i> | 1 |
| Australian White Ibis | <i>Threskiornis molucca</i> | 1 |
| Axolotl; Mexican Walking Fish | <i>Ambystoma mexicanum</i> | 1 |
| Barn Swallow | <i>Hirundo rustica</i> | 1 |
| Bar-shouldered Dove | <i>Geopelia humeralis</i> | 1 |
| Baudin's Cockatoo; Long-billed Black Cockatoo | <i>Calyptorhynchus baudinii</i> | 1 |
| Beefalo cattle breed and all animals of 37.5% and less American bison genetic material | <i>Bison bison X Bos taurus</i> (37.5% and less American bison genetic material) | 2, 3 |
| Black Rat | <i>Rattus rattus</i> | |
| Black Swan | <i>Cygnus atratus</i> | 1 |
| Bourke's Parrot | <i>Neophema bourkii</i> | 1 |
| Brown Quail | <i>Coturnix ypsilophora</i> | 1 |
| Brown Rat; Norway Rat | <i>Rattus norvegicus</i> | |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|---|---|------|
| Butler's Corella; Western Corella (northern and central wheatbelt subspecies) | <i>Cacatua pastinator butleri</i> | 1 |
| Cape Barren Goose | <i>Cereopsis novaehollandiae</i> | 1 |
| Carnaby's Cockatoo | <i>Calyptorhynchus latirostris</i> | 1 |
| Cat | <i>Felis catus</i> | |
| Cattle | <i>Bos taurus</i> | 2, 3 |
| Chestnut-backed Button-quail | <i>Turnix (castanota) castanota</i> | 1 |
| Chestnut-breasted Mannikin | <i>Lonchura castaneothorax</i> | 1 |
| Chicken; Domestic Fowl; all bantams; Red Jungle Fowl and all domestic derivatives of the wild form <i>Gallus gallus</i> | <i>Gallus gallus</i> | |
| Common Canary | <i>Serinus canaria</i> | |
| Common Peafowl; Indian Peafowl | <i>Pavo cristatus</i> | 1 |
| Common Turkey; Includes all domestic derivatives of wild ancestor <i>M. gallopavo</i> | <i>Meleagris gallopavo</i> | |
| Crimson Finch | <i>Neochmia phaeton</i> | 1 |
| Crimson-winged Pytilia; Aurora Finch | <i>Pytilia phoenicoptera</i> | 1 |
| Diamond Dove | <i>Geopelia cuneata</i> | 1 |
| Dingo | <i>Canis lupus dingo</i> | 1 |
| Dingo-dog hybrids | <i>Canis lupus dingo x Canis lupus familiaris</i> | 1 |
| Domestic Camel | <i>Camelus dromedarius (domestic)</i> | 2, 3 |
| Domestic Dog | <i>Canis lupus familiaris (domestic)</i> | |
| Domestic Donkey | <i>Equus asinus (domestic)</i> | 2 |
| Domestic Ferret; Ferret | <i>Mustela putorius furo (domestic)</i> | |
| Domestic Goat | <i>Capra hircus (domestic)</i> | 2, 3 |
| Domestic Goose; and all domestic strains derived from <i>Anser anser</i> | <i>Anser anser (domestic)</i> | 1 |
| Domestic Guinea Pig; Guinea Pig | <i>Cavia porcellus (domestic)</i> | |
| Domestic Horse | <i>Equus caballus (domestic)</i> | 2 |
| Domestic Pig | <i>Sus scrofa (domestic)</i> | 2, 3 |
| Domestic Pigeon; Rock Dove | <i>Columba livia (domestic)</i> | 1 |
| Domestic Rabbit (domestic or commercial breeds only; not wild rabbit with wild-type brown colouring) | <i>Oryctolagus cuniculus (domestic)</i> | |
| Double-barred Finch | <i>Taeniopygia bichenovii</i> | 1 |
| Eastern Long-billed Corella | <i>Cacatua tenuirostris</i> | 1 |
| Elegant Parrot | <i>Neophema elegans</i> | 1 |
| Emerald Dove | <i>Chalcophaps indica</i> | 1 |
| Emu | <i>Dromaius novaehollandiae</i> | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|---|---------------------------------------|------|
| Euro; Biggada | <i>Macropus robustus erubescens</i> | 1 |
| Fairy Martin | <i>Hirundo ariel</i> | 1 |
| Feral Horse | <i>Equus caballus</i> (feral) | 2 |
| Galah | <i>Cacatua roseicapilla</i> | 1 |
| Garganey | <i>Anas querquedula</i> | 1 |
| Glossy Ibis | <i>Plegadis falcinellus</i> | 1 |
| Golden Pheasant | <i>Chrysolophus pictus</i> | 1 |
| Goldfinch; European Goldfinch | <i>Carduelis carduelis</i> | 1 |
| Green Peafowl | <i>Pavo muticus</i> | 1 |
| Green-winged Pytilia; Melba Finch | <i>Pytilia melba</i> | 1 |
| Grey Nightjar | <i>Caprimulgus indicus</i> | 1 |
| Grey Teal | <i>Anas gracilis</i> | 1 |
| Guineafowl | <i>Numida meleagris</i> | |
| Hardhead | <i>Aythya australis</i> | 1 |
| Himalayan Monal Pheasant; Impeyan Pheasant | <i>Lophophorus impejanus</i> | 1 |
| House Mouse | <i>Mus musculus</i> | |
| Jacky Winter | <i>Microeca fascinans</i> | 1 |
| Kalij Pheasant | <i>Lophura leucomelanos</i> | 1 |
| King Quail; Blue-breasted Quail | <i>Coturnix chinensis</i> | 1 |
| Lady Amherst's Pheasant | <i>Chrysolophus amherstiae</i> | 1 |
| Latham's Snipe | <i>Gallinago hardwickii</i> | 1 |
| Laughing Turtle-dove | <i>Streptopelia senegalensis</i> | 4 |
| Lesser Coucal | <i>Centropus bengalensis</i> | 1 |
| Little Button-quail | <i>Turnix velox</i> | 1 |
| Little Corella (eastern subspecies) | <i>Cacatua sanguinea gymnopsis</i> | 1 |
| Little Corella (Kimberley subspecies) | <i>Cacatua sanguinea sanguinea</i> | 1 |
| Little Corella (Pilbara-Murchison and northern wheatbelt subspecies) | <i>Cacatua sanguinea westralensis</i> | 1 |
| Little Crow | <i>Corvus bennetti</i> | 1 |
| Llama | <i>Lama glama</i> | 2, 3 |
| Long-haired Rat | <i>Rattus villosissimus</i> | 1 |
| Luzon Bleeding-Heart; Bleeding-Heart Pigeon | <i>Gallicolumba luzonica</i> | 1 |
| Magpie Goose (Pied Goose) | <i>Anseranas semipalmata</i> | 1 |
| Major Mitchell's Cockatoo | <i>Cacatua leadbeateri</i> | 1 |
| Mallard Duck; Mallard; and all Anas strains of domestic duck | <i>Anas platyrhynchos</i> | 1 |
| Muir's Corella; Western Corella (Lake Muir subspecies) | <i>Cacatua pastinator pastinator</i> | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|--|--------------------------------------|----------|
| Mule; Hinny | <i>Equus caballus X Equus asinus</i> | 2 |
| Mulga Parrot | <i>Platycercus varius</i> | 1 |
| Muscovy Duck | <i>Cairina moschata</i> | |
| Musk Duck | <i>Biziura lobata</i> | 1 |
| Musk Lorikeet | <i>Glossopsitta concinna</i> | 1 |
| Mute Swan; White Swan | <i>Cygnus olor</i> | 1 |
| Northern Rosella | <i>Platycercus venustus</i> | 1 |
| Ostrich | <i>Struthio camelus</i> | 1, 2 & 3 |
| Pacific Baza | <i>Aviceda subcristata</i> | 1 |
| Pacific Black Duck | <i>Anas superciliosa</i> | 1 |
| Pacific Golden Plover | <i>Pluvialis fulva</i> | 1 |
| Pacific Swallow | <i>Hirundo tahitica</i> | 1 |
| Painted Button-quail | <i>Turnix varia</i> | 1 |
| Painted Finch | <i>Emblema pictum</i> | 1 |
| Pale Field-rat | <i>Rattus tunneyi</i> | 1 |
| Pale-headed Munia | <i>Lonchura pallida</i> | 1 |
| Partridge Pigeon | <i>Geophaps smithii</i> | 1 |
| Peaceful Dove | <i>Geopelia striata</i> | 1 |
| Pheasant Coucal | <i>Centropus phasianinus</i> | 1 |
| Pheasant-tailed Jacana | <i>Hydrophasianus chirurgus</i> | 1 |
| Pictorella Mannikin | <i>Heteromunia pectoralis</i> | 1 |
| Pied Imperial Pigeon | <i>Ducula bicolor</i> | 1 |
| Pin-tailed Snipe | <i>Gallinago stenura</i> | 1 |
| Purple-crowned Lorikeet | <i>Glossopsitta porphyrocephala</i> | 1 |
| Radjah Shelduck | <i>Tadorna radjah</i> | 1 |
| Rainbow Lorikeet | <i>Trichoglossus haematodus</i> | 1 |
| Red Fox | <i>Vulpes vulpes</i> | |
| Red Kangaroo; Marlu | <i>Macropus rufus</i> | 1 |
| Red-backed Button-quail | <i>Turnix maculosa</i> | 1 |
| Red-browed Finch | <i>Neochmia temporalis</i> | 1 |
| Red-capped Parrot; WA King Parrot | <i>Purpureicephalus spurius</i> | 1 |
| Red-chested Button-quail | <i>Turnix pyrrhothorax</i> | 1 |
| Red-crested Cardinal | <i>Paroaria coronata</i> | 1 |
| Red-rumped Swallow | <i>Hirundo daurica</i> | 1 |
| Redthroat | <i>Pyrrholaemus brunneus</i> | 1 |
| Red-throated Parrotfinch; Red-faced Parrotfinch | <i>Erythrura psittacea</i> | 1 |
| Red-winged Parrot | <i>Aprosmictus erythropterus</i> | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

| | | |
|--|---------------------------------------|------|
| Reeves's Pheasant | <i>Syrmaticus reevesii</i> | 1 |
| Rock Parrot | <i>Neophema petrophila</i> | 1 |
| Rose-crowned Fruit-Dove | <i>Ptilinopus regina</i> | 1 |
| Rufous Hare-wallaby | <i>Lagorchestes hirsutus</i> | 1 |
| Scaly-breasted Lorikeet | <i>Trichoglossus chlorolepidotus</i> | 1 |
| Scarlet-chested Parrot | <i>Neophema splendid</i> | 1 |
| Sheep | <i>Ovis aries</i> | 2, 3 |
| Siamese Fireback Pheasant | <i>Lophura diardi</i> | 1 |
| Sooty Flycatcher (Dark-sided Flycatcher) | <i>Muscicapa sibirica</i> | 1 |
| Spinifex Pigeon | <i>Geophaps plumifera</i> | 1 |
| Spotted Turtle-dove | <i>Streptopelia chinensis</i> | 4 |
| Star Finch | <i>Neochmia ruficauda</i> | 1 |
| Straw-necked Ibis | <i>Threskiornis spinicollis</i> | 1 |
| Stubble Quail | <i>Coturnix pectoralis</i> | 1 |
| Swan Goose; Chinese Goose | <i>Anser cygnoides</i> | 1 |
| Swinhoe's Pheasant | <i>Lophura swinhoii</i> | 1 |
| Swinhoe's Snipe | <i>Gallinago megala</i> | 1 |
| Tammar | <i>Macropus eugenii</i> | 1 |
| Torresian Crow | <i>Corvus orru</i> | 1 |
| Tree Martin | <i>Hirundo nigricans</i> | 1 |
| Varied Lorikeet | <i>Trichoglossus versicolor</i> | 1 |
| Welcome Swallow | <i>Hirundo neoxena</i> | 1 |
| Western Brush Wallaby | <i>Macropus Irma</i> | 1 |
| Western Bush Rat | <i>Rattus fuscipes</i> | 1 |
| Western Grey Kangaroo | <i>Macropus fuliginosus</i> | 1 |
| Western Rosella | <i>Platycercus icterotis</i> | 1 |
| White-backed Swallow | <i>Cheramoeca leucosternus</i> | 1 |
| White-bibbed Ground-Dove; White-breasted Ground-Dove; Jobi Island Dove | <i>Gallicolumba jobiensis</i> | 1 |
| Wild or Feral Dog | <i>Canis lupus familiaris</i> (feral) | |
| Yellow-rumped Mannikin | <i>Lonchura flaviprymna</i> | 1 |
| Zebra Finch | <i>Taeniopygia guttata</i> | 1 |
| Zitting Cisticola | <i>Cisticola juncidis</i> | 1 |

a. = mesh size no larger than 1.27 cm, wire diameter 0.71 mm b. = mesh size no larger than 2.54 cm, wire diameter 1.3 mm
c. = mesh size no larger than 3.81 cm, wire diameter 1.3 mm (min.) d. = mesh size no larger than 3.81 cm, wire diameter 2.5 mm

1 = DPaW import permit needed. 2 = DAFWA health and fibre requirements before entry. 3 = waybills required. 4 = prohibited import (DPaW). 5 = enclosure requirements. 6 = restrictions apply on number birds kept. 7 = special aviculture requirements.

8 Contact information

Department of Agriculture and Food
Locked Bag 4 Bentley D. C. WA 6983

Tel: (08) 9366 2300,

Fax: (08) 9474 2405

Email: info@agric.wa.gov.au

win.kirkpatrick@agric.wa.gov.au

brett.scourse@agric.wa.gov.au

Department of Parks and Wildlife

Locked Bag 104, Bentley D.C. WA 6983

Tel. 9334 0440, 9334 0441,

Fax. 9334 0242

Email: wildlifelicensing@dec.wa.gov.au

Norm.Press@dec.wa.gov.au

For further information contact any office of the Department of Agriculture and Food or the Pest and Disease Information Service on Freecall 1800 084 881, email info@agric.wa.gov.au or visit agric.wa.gov.au

9 Forms

Double click on a form to open a PDF document that can be printed and filled in.

9.1 Application to keep restricted birds



Department of
Agriculture and Food



Restricted birds application

Application to keep restricted birds

Permit covers the keeping of restricted avian fauna at the address stated on the authority.
Biosecurity and Agriculture Management Act 2007 and Regulations 2013

Completed forms should be returned to:
Department of Environment and Conservation
Western Australia
Locked Bag 30 Bentley Delivery Centre WA 6983
Or faxed to +61 (08) 9219 8242

Further information on the permit requirements is
available from DEC Wildlife Licensing Section
Phone: +61 (08) 9219 9835
Email: wildlifelicensing@dec.wa.gov.au

Restricted bird permits are issued for a 1-year period, with fees payable as below. Please
allow five (5) working days to process, complete and correct applications.

| Applicant | | |
|-------------------------------|----------------------|----------------------|
| Title: | <input type="text"/> | |
| Given name(s): | <input type="text"/> | |
| Surname: | <input type="text"/> | |
| Street address (residential): | <input type="text"/> | |
| Suburb: | State/Territory: | Postcode: |
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Street address (postal): | <input type="text"/> | |
| Suburb: | State/Territory: | Postcode: |
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Street address (aviary): | <input type="text"/> | |
| Suburb: | State/Territory: | Postcode: |
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Phone: | <input type="text"/> | |
| Mobile: | <input type="text"/> | |
| Email: | <input type="text"/> | |
| Fax: | <input type="text"/> | |
| Date of birth: | <input type="text"/> | |
| Date of application: | <input type="text"/> | |
| Signature: | <input type="text"/> | |

9.2 Application for import permit



Department of
Agriculture and Food



Import permit application
Phone: +61 1800 084 881
Email: info@agric.wa.gov.au

Application for import permit

Biosecurity and Agriculture Management Act 2007 and Regulations 2013

Reason for application

- Import of prohibited organism (s12)
- Import of unlisted organism (s15)
- Import of declared pest (s22)
- Import of permitted organism requiring a permit (r73)
- Import of a prescribed potential carrier under permit (r68)

(i) Please complete details in parts A, B, C and sign declaration below.

(ii) The proposed import – product / commodity / organism details on page 3 must also be filled in.

Please return completed form to:
Pest and Disease Information Service
Department of Agriculture and Food
Locked Bag 4
Bentley Delivery Centre 6983

Part A Import permit applicant details ("The Importer")

The applicant will be the Consignor or Consignee ! Please tick one only

| | | |
|------------------------------|--------------------------|-----------|
| Title: | | |
| Given name(s): | | |
| Surname: | | |
| Business name: | | |
| Contact person: | | |
| ABN or ACN (companies only): | | |
| Physical Address: | PO Box not accepted | |
| Suburb: | State/Territory: | Postcode: |
| Postal address: | If same write 'as above' | |
| Suburb: | State/Territory: | Postcode: |
| Work phone: | | |
| Home phone: | | |
| Mobile: | | |
| Fax: | | |
| Email: | | |

Upon this application being approved, please return permit by Email Fax Mail

10 References

Barrett, G., A. Silcocks, et al. (2003). *The New Atlas of Australian Birds*, Royal Australasian Ornithologists Union/Birds Australia.

Catalogue of Life (2012). Annual Checklist - 30 April 2012 ([.catalogueoflife.org/](http://catalogueoflife.org/)).

Howard, R. and Moore, A. (1991). *A Complete Checklist of the Birds of the World*. Academic Press, London.

Kingston, R. (1998.) *Keeping and Breeding Finches and Seed-eaters*. Indruss Productions, New Farm.

Schodde, R. and I. J. Mason (1999). *The Directory of Australian Birds - Passerines*. Collingwood, Victoria, CSIRO Publishing.

Sibley, C. and Monroe, B. (1990). *Distribution and Taxonomy of Birds of the World*. Yale University Press, New Haven.

Wilson, D. E. and DeeAnn M. Reeder (editors). (2005). *Mammal Species of the World. A Taxonomic and Geographic Reference* (3rd ed), Johns Hopkins University Press: 2142